To whom it may concern,

Thank you for your consideration of this matter.

I would like to address the issue of specifically excluding pantyliners for "general hygeine" or "incontinence".

I would consider these pads to be a feminine health product and would like to see this included in the list. I do not see why it would be explicitly excluded as this is not something you can choose to go without if you have incontinence, particluarly as you age or after giving birth. Additionally, liners marketed for "general hygeine" are often just caging their bets rather than specifically saying we are marketing for mensuration, spotting (random and light bleeding due to medical conditions or birthcontrol usage), incontinance or other issues since the pads have the same function to a large extent regardless of "use" i.e. they are still used for mensuration and vaginal bleeding and thus should come under your definition of "feminine hygeine".

Regardless of whether incontinence is considered to be included in the definition of feminine hygene, the products marketed for this issue (and as states general hygeine) are often also used in place of those specifically marketed for mensuration. Personally, I often use the liners marketed for incontinence over those specifically for mensuration as there are only a few brands of mensuration liners that are made for sensitive skin and I need access to those additional few for incontinance as they are designed for almost continual daily use. As someone who has an allergic reaction to many liners on the market, specifically limiting my options based on a perceived marketing campaign (the product function is essentially the same) goes against the intent of the campaign for GST to be removed from feminine hygiene products and will mean that I and many people in my situation are disadvantaged. Additionally, smaller shops have a limited range and often only stock the liners for incontinance (e.g. poise) so there is no option but to buy this brand.

Additionally, thought needs to be given for those products which are marketed for both mensuration and incontinence if this exclusion is kept.

Thank you very much for your consideration of my view.